Voluntary Product Accessibility Template® (VPAT®) Revised Section 508 Edition

Version 2.4

About This Document	1
Essential Requirements and Best Practices for Information & Communications Technology (ICT) Vendors	3
Getting Started	3
Essential Requirements for Authors	3
Best Practices for Authors	6
Posting the Final Document	8
Table Information for VPAT® Readers	9
[Company] Accessibility Conformance Report	10

About This Document

The VPAT is provided in four editions based on the standards/guidelines being evaluated. The editions are WCAG, Revised 508, EN 301 549 and International, which includes all of the standards.

This is the Revised Section 508 edition of the VPAT. It includes the following standards/guidelines:

- Web Content Accessibility Guidelines 2.0
- Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018

If you need a different combination of standards/guidelines then use the appropriate alternate edition of the VPAT found on the ITI Accessibility web page.

This document is broken into two main sections:

- Essential Requirements and Best Practices for using the VPAT® to complete an Accessibility Conformance Report (the instructions)
- The VPAT

Please carefully review the Essential Requirements and Best Practices sections before using the VPAT to create an Accessibility Conformance Report.

The purpose of these instructions is to promote accurate and consistent reporting of product accessibility information.

The VPAT is a template used to document a product's conformance with accessibility standards and guidelines. The purpose of the Accessibility Conformance Report is to assist customers and buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology," also referred to as "Information and Communication Technology" (ICT) products and services with features that support accessibility.

The Information Technology Industry Council (ITI) provides the VPAT. Use of the template and service mark does not require membership in ITI.

Essential Requirements and Best Practices for Information & Communications Technology (ICT) Vendors

This section provides guidance for reporting product conformance for major accessibility standards and guidelines using the VPAT® to produce the Accessibility Conformance Report. Deviating from these guidelines precludes vendors from referencing the template by name and/or the VPAT acronym.

Getting Started

- 1. Before creating a report, read all of the materials provided in this document.
- 2. Determine which accessibility standards/guidelines will be included in the Accessibility Conformance Report and use the appropriate VPAT file.
- 3. It is the vendor's responsibility to maintain the integrity of the data in the report.

Essential Requirements for Authors

The following are the minimum requirements to produce an Accessibility Conformance Report based on the VPAT[®].

- The VPAT name and template are registered service marks of ITI. Use of the VPAT template and name requires the inclusion of the registered service mark (i.e., "VPAT®"). Users of the VPAT agree not to deviate from the Essential Requirements for Authors.
- 2. The template file can be used as is or replicated in a different delivery format, for example as HTML or PDF. The final conformance report must be accessible.
- 3. A report must contain the following content at a minimum:
 - Report Title In the heading format of "[Company Name] Accessibility Conformance Report"
 - VPAT Heading Information Template version
 - Name of Product/Version Name of Product being reported, including product version identifier if necessary

- Report Date Date of report publication. At a minimum, provide the month and year of the report publication. For example, "May 2016". If date is included, ensure it is clear "4 May 2016" or "May 4, 2016".
- Product Description A brief description of the product
- Contact Information Contact Information for follow-up questions. Listing an email is sufficient.
- Notes Any details or further explanation about the product or the report.
 This section may be left blank.
- Evaluation Methods Used Include a description of evaluation methods used to complete the VPAT for the product under test.
- **Applicable Standards/Guidelines** A clear indication of which Standards/Guidelines this Conformance Report covers.
 - The list must include only the Standards/Guidelines used to evaluate the product.
 - The applicable Standards/Guidelines that are included in this VPAT edition are:
 - Web Content Accessibility Guidelines 2.0 or WCAG 2.0 (ISO/IEC 40500)
 - Revised Section 508 standards the U.S. Federal accessibility standard for ICT Products, published by the U.S. Access Board in the Federal Register on January 18, 2017 and corrected on January 22, 2018
 - If other Standards/Guidelines are reported, then use the appropriate VPAT edition.
 - This information can be in a table format at the top of the report with the table heading 'Standards/Guidelines' and the reported Standards/Guidelines identified. This information can alternatively be supplied in the introductory text of the report. In the VPAT we have used a table as an example and listed "(yes / no)" for each standard/guideline. To indicate what the report covers leave the appropriate yes or no on each standard/guideline.
 - If multiple Standards or Guideline tables are included, each table must identify the Standard or Guideline that the criteria in that table represent.
- Terms The report must list the definition of the terms used in the Conformance Level column. ITI recommends the following terms. If a vendor deviates from the ITI definitions, the vendor shall reference this change in the

heading Notes section. If a term is not used it can be removed from the list. The ITI definitions are: This can only be used in WCAG 2.x Level AAA

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.

<u>Note</u>: When filling in the WCAG tables, a response may use 'Supports' where one might otherwise be inclined to use 'Not Applicable'. This is in keeping with <u>WCAG 2.0 Understanding Conformance</u>: This means that if there is no content to which a success criterion applies, the success criterion is satisfied.

- Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG 2.x Level AAA.
- Tables for Each Standard or Guideline Tables showing the responses to the criteria.
- 4. WCAG Conformance Information The answers in the WCAG success criteria are based on the level of conformance being reported (Level A, AA or AAA).
 - These tables are used to answer:
 - Revised Section 508:
 - Chapter 5 Software
 - Chapter 6 Support Documentation
 - The selected levels of WCAG 2.0 Guidelines.
 - If using a summary table, due to answers applying to multiple criteria, when
 answering for the Revised Section 508, the answers need to be clear about
 which individual criteria the answer applies to. It is possible to either use a
 summary, selecting the worst case for the criteria, or to have separate
 answers or even tables for software, support documentation, authoring tools,
 etc., so long as the methodology used is made clear.
- 5. Remarks and Explanations Detailed remarks should be provided in the Remarks and Explanations column to justify your answer in the Conformance Level column.
 - When the conformance level is 'Partially Supports' or 'Does Not Support', the remarks should identify:

- 1. The functions or features with issues
- 2. How they do not fully support
- If the criterion does not apply, explain why.
- If an accessible alternative is used, describe it.
- 6. In the Section 508 tables, when subsections of criteria do not apply to the product, the section may be summarized or removed as long as an explanation is provided explaining why a criterion does not apply. Another alternative is to leave the table and add a summary why the section does not apply. For example, in Chapter 5 the criteria in 502 and 503 will not apply to a web only application, thus those sections can be removed with a summary in the notes for the chapter, or a row in the table.

Best Practices for Authors

ITI suggests that authors adopt the following best practices when using the VPAT® to create an Accessibility Conformance Report.

- **Branding Header:** Company logo or branding information
- Report Date Changes: If a report is revised, change the report date and
 explain the revision in the Notes section. Alternately, create a new report and
 explain in the Notes section that it supersedes an earlier version of the report.
- Notes: Add any notes applicable to product or the report
 - Additional information about the product version that the document references
 - Any revisions to the document
 - Links to any related documents
 - Additional information describing the product
 - Additional information about what the document does or does not cover
 - Information suggested by the <u>WCAG 2.0 Conformance Claim</u>
 - Information needed to satisfy ISO/IEC 17050-1:2004, Supplier's Declaration of Conformity
- Evaluation Methods Used Information to enter may include the following:
 - Testing is based on general product knowledge
 - Similar to another evaluated product
 - Testing with assistive technologies

- Published test method (provide name, publisher, URL link)
- Vendor proprietary test method
- Other test method
- Remarks and Explanations: This section may include:
 - Information regarding the testing of a given criteria.
 - Information on application dependencies to support accessibility (e.g. OS, app frameworks, browsers recommended).
 - How the customer can find more information about accessibility issues.
 One method can be to include the bug ID where customers can call the company's customer support to get additional information.
 - Known workarounds for accessibility issues.
- Legal Disclaimer: Area for any legal disclaimer text required by your organization.
- Report Size: To reduce the size of the report it is acceptable to remove sections. Individual criteria cannot be removed, only sections at a time. Section removal is acceptable in four situations:
 - When an entire section is not being reported on because it does not apply to the product, for example:
 - Chapter 4: Hardware. Information should be included in the notes for that section why it has been removed.
 - A card reader that doesn't have sound could remove the criteria in section 413 Closed Caption Processing Technologies and just note the why the criteria doesn't apply.
 - If the product is not being evaluated for a level of the criteria (for example Level AAA) then that table may be deleted.
 - If a requesting customer has identified that a section of the standard does not apply, information should be included in the notes that the section has been removed.
- **WCAG 2.0 Tables:** The WCAG 2.0 criteria are shown in three tables, Level A, Level AA, and Level AAA.
 - If desired, these tables can be combined into one table.
 - When reporting on a level (A, AA or AAA) all criteria for that level must be answered.
- Language: Translation to other languages is permitted.

- Multiple Reports: When using the VPAT to create an Accessibility
 Conformance Report for complex products it may be helpful to separate
 answers into multiple reports. For example, when a product is an Authoring
 Tool that also has web content and documentation. When multiple reports
 are used for a complex product, it is required to explain this and how to reach
 the other reports in the Notes section of each report.
- **Criteria Text:** To help conserve space in the ITI template only the criteria ID number and a short title have been included. Where possible, links have been included to the standard/guideline.
 - It is acceptable to add the full text of the criteria into the cell if desired to help with understanding.
 - The links to the standards/guidelines can be removed.
- Ordering of Tables: The order that the standard and guideline tables appear may be changed to facilitate reading. The current order is WCAG then Section 508. You can change this order to insert the WCAG criteria into the Section 508 tables.
- Guideline Section Heading Rows in Tables: The tables include heading rows to facilitate understanding the context of the criteria.
 - The cells in these rows do not require answers as indicated by "Heading cell – no response required."
 - It is optional to add a response if desired.
 - The shading of the row is also optional.
 - If removing the heading rows, edit the criteria titles so it's clear where they apply.

Posting the Final Document

- When publishing your Accessibility Conformance Report, be sure to remove the entire first 9 pages of this document, including the table of contents, introductory information and instructions.
- Check for each required item in the VPAT[®] document:
 - [Company Name] Accessibility Conformance Report (report title)
 - (Based on VPAT® Version 2.4)
 - Name of Product/Version
 - Report Date
 - Product Description

- Contact Information
- Notes
- Evaluation Methods Used
- Applicable Standards/Guidelines
- Terms
- Tables for Each Standard or Guideline
 - Check that there is a response for each criterion for 'Conformance Level' and 'Remarks and Explanations.'
- Verify that the final document is accessible.
- Post your final document on your company's web site, or make the document available to customers upon request.

Table Information for VPAT® Readers

For each of the standards, the criteria are listed by chapter in a table. The structures of the tables are: the first column contains the criteria being evaluated, the second column describes the level of conformance of the product regarding the criteria and the third column contains any additional remarks and explanations regarding the product.

- When sections of criteria do not apply, or are deemed by the customer as not applicable, the section is noted as such and the rest of that table may be removed for that section.
- When multiple standards are being recorded in this document, the duplicative sections are noted and responded to only one time. The duplicate entry will note the cross reference to the data.

NewsBank, Inc. Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT® Version 2.4)

Name of Product/Version: America's News

Report Date: 01-28-2021

Product Description:

Contact Information: NewsBank, inc. / Customer Service 1-800-243-7694

Notes:

Evaluation Methods Used:

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)

[&]quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

Standard/Guideline	Included In Report
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <a href="https://www.wcashedu.com/wcashed

Table 1: Success Criteria, Level A

Notes: Text equivalents for image-based news content aren't available. In some cases, we link to multimedia content on other sites, which have their own level of accessibility support. This product is compliant with WCAG 2.1 AA.

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: Revised Section 508	Web: Supports	Non-text content on this interface that is presented to the user has a text alternative that serves the equivalent purpose.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not applicable	There is no time-based media presented on this interface. Interface may link to external audio and video.
1.2.2 Captions (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not applicable	There is no time-based media presented on this interface.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not applicable	There is no time-based media presented on this interface.
1.3.1 Info and Relationships (Level A) Also applies to: Revised Section 508	Web: Supports	Use of ARIA labels.

Criteria	Conformance Level	Remarks and Explanations
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.3.2 Meaningful Sequence (Level A)		
Also applies to:	l.,	
Revised Section 508	Web: Supports	Content on this interface is ordered in a meaningful
• 501 (Web)(Software)		sequence.
504.2 (Authoring Tool)602.3 (Support Docs)		
1.3.3 Sensory Characteristics (Level A)		
Also applies to: Revised Section 508	Web: Supports	Content on this interface does not depend on sensory
501 (Web)(Software)	web: Supports	perception.
• 504.2 (Authoring Tool)		perception.
• 602.3 (Support Docs)		
1.4.1 Use of Color (Level A)		
Also applies to:		
Revised Section 508	Web: Supports	
501 (Web)(Software)		This interface meets WCAG 2.0 1.4.1 guidelines.
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.4.2 Audio Control (Level A)		
Also applies to:		
Revised Section 508	Web: Not applicable	The second secon
• 501 (Web)(Software)		There is no audio presented on this interface.
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.1.1 Keyboard (Level A)		
Also applies to:	Web: Supports	
Revised Section 508	web. Jupports	Interface is keyboard accessible and without timings.
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		
2.1.2 No Keyboard Trap (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	There are no keyboard traps on this interface
2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not applicable	There are no user timed events presented on this interface.
2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not applicable	There are no user timed events presented on this interface.
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not applicable	There is no flashing or blinking presented on this interface.
2.4.1 Bypass Blocks (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Supports	Meets WCAG 2.0 2.4.1
2.4.2 Page Titled (Level A)	Web: Supports	Meets WCAG 2.0 2.4.2

Criteria	Conformance Level	Remarks and Explanations
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)		
2.4.3 Focus Order (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Keyboard tab order follows a logical flow of focus.
2.4.4 Link Purpose (In Context) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Link text provided describes the purpose of a link.
3.1.1 Language of Page (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	This interface uses the page lang attribute.
3.2.1 On Focus (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	This interface meets WCAG 2.0 3.2.1 guidelines.
3.2.2 On Input (Level A) Also applies to: Revised Section 508	Web: Supports	This interface meets WCAG 2.0 3.2.2 guidelines.

Criteria	Conformance Level	Remarks and Explanations
501 (Web)(Software)504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.3.1 Error Identification (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Form input errors on this interface are detected and feedback provided to the user.
3.3.2 Labels or Instructions (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Labels are used throughout the interface on form inputs
4.1.1 Parsing (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports	This interface meets WCAG 2.0 4.1.1 guidelines.
4.1.2 Name, Role, Value (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Visible and ARIA labels are used on this interface.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not applicable	There is no time-based media presented on this interface
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not applicable	There is no time-based media presented on this interface.
1.4.3 Contrast (Minimum) (Level AA) Also applies to: Revised Section 508	Web: Supports	This interface meets WCAG 2.0 4.1.1 guidelines.
1.4.4 Resize text (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	This interface provides browser zoom up to 200 percent without loss of content or functionality.
1.4.5 Images of Text (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Non-text content on this interface that is presented to the user has a text alternative that serves the equivalent purpose.
2.4.5 Multiple Ways (Level AA) Also applies to:	Web: Supports	A search engine provides the search results based on user input.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs		
2.4.6 Headings and Labels (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Headings and labels are used throughout the interface.
2.4.7 Focus Visible (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	When a user interface control receives focus, a visible border is displayed around it.
3.1.2 Language of Parts (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Partially Supports	This interface does not have change in language. Articles may contain other languages.
 3.2.3 Consistent Navigation (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Supports	This interface meets WCAG 2.0 3.2.3 guidelines.
3.2.4 Consistent Identification (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software	Web: Supports	This interface meets WCAG 2.0 3.2.4 guidelines.

Criteria	Conformance Level	Remarks and Explanations
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
3.3.3 Error Suggestion (Level AA)		
Also applies to:		
Revised Section 508	Woh: Supports	This interface mosts WCAC 2022 a guidelines
• 501 (Web)(Software)	Web: Supports	This interface meets WCAG 2.0 3.3.3 guidelines.
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)		
Also applies to:		
Revised Section 508	Web: Not applicable	
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		

Table 3: Success Criteria, Level AAA

Notes: Notes: This product has not been evaluated for WCAG 2.0 Level AAA conformance.

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA) Revised Section 508 – Does not apply	Web:	Web:
1.2.7 Extended Audio Description (Prerecorded) (Level AAA) Revised Section 508 – Does not apply	Web:	Web:
1.2.8 Media Alternative (Prerecorded) (Level AAA) Revised Section 508 – Does not apply	Web:	Web:
1.2.9 Audio-only (Live) (Level AAA) Revised Section 508 – Does not apply	Web:	Web:
1.4.6 Contrast (Enhanced) (Level AAA) Revised Section 508 – Does not apply	Web:	Web:

Criteria	Conformance Level	Remarks and Explanations
1.4.7 Low or No Background Audio (Level AAA)	Web:	Web:
Revised Section 508 – Does not apply		
1.4.8 Visual Presentation (Level AAA)	Web:	Web:
Revised Section 508 – Does not apply		
1.4.9 Images of Text (No Exception) (Level AAA)	Web:	Web:
Revised Section 508 – Does not apply	···co.	Web.
2.1.3 Keyboard (No Exception) (Level AAA)	Web:	Web:
Revised Section 508 – Does not apply	WCD.	WCD.
2.2.3 No Timing (Level AAA)	Web:	Web:
Revised Section 508 – Does not apply	vveb.	web.
2.2.4 Interruptions (Level AAA)	Web:	Web:
Revised Section 508 – Does not apply	vveb.	web.
2.2.5 Re-authenticating (Level AAA)	N/oh.	Web:
Revised Section 508 – Does not apply	Web:	web.
2.3.2 Three Flashes (Level AAA)) A/ - I	Mala.
Revised Section 508 – Does not apply	Web:	Web:
2.4.8 Location (Level AAA)		147.1.
Revised Section 508 – Does not apply	Web:	Web:
2.4.9 Link Purpose (Link Only) (Level AAA)		
Revised Section 508 – Does not apply	Web:	Web:
2.4.10 Section Headings (Level AAA)		
Revised Section 508 – Does not apply	Web:	Web:
3.1.3 Unusual Words (Level AAA)		
Revised Section 508 – Does not apply	Web:	Web:
3.1.4 Abbreviations (Level AAA)		
Revised Section 508 – Does not apply	Web:	Web:
3 1 5 Reading Level (Level ΔΔΔ)		
Revised Section 508 – Does not apply	Web:	Web:
3 1 6 Pronunciation (Level AAA)		
Revised Section 508 – Does not apply	Web:	Web:

Criteria	Conformance Level	Remarks and Explanations
3.2.5 Change on Request (Level AAA) Revised Section 508 – Does not apply	Web:	Web:
3.3.5 Help (Level AAA) Revised Section 508 – Does not apply	Web:	Web:
3.3.6 Error Prevention (All) (Level AAA) Revised Section 508 – Does not apply	Web:	Web:

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	Technical Standards Fully Supported
302.2 With Limited Vision	Supports	Technical Standards Fully Supported
302.3 Without Perception of Color	Supports	Technical Standards Fully Supported
302.4 Without Hearing	Supports	Technical Standards Fully Supported
302.5 With Limited Hearing	Supports	Technical Standards Fully Supported
302.6 Without Speech	Supports	Technical Standards Fully Supported
302.7 With Limited Manipulation	Supports	Technical Standards Fully Supported
302.8 With Limited Reach and Strength	Supports	Technical Standards Fully Supported
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	Technical Standards Fully Supported

Chapter 4: <u>Hardware</u>

Notes: Not applicable

Criteria	Conformance Level	Remarks and Explanations
402 Closed Functionality	Heading cell – no response required	Heading cell – no response required
402.1 General	Heading cell – no response required	Heading cell – no response required
402.2 Speech-Output Enabled	Heading cell – no response required	Heading cell – no response required
402.2.1 Information Displayed On-Screen		
402.2.2 Transactional Outputs		
402.2.3 Speech Delivery Type and Coordination		

Criteria	Conformance Level	Remarks and Explanations
402.2.4 User Control		
402.2.5 Braille Instructions		
402.3 Volume	Heading cell – no response required	Heading cell – no response required
402.3.1 Private Listening		
402.3.2 Non-private Listening		
402.4 Characters on Display Screens		
402.5 Characters on Variable Message Signs		
<u>403 Biometrics</u>	Heading cell – no response required	Heading cell – no response required
403.1 General		
404 Preservation of Information Provided for Accessibility	Heading cell – no response required	Heading cell – no response required
404.1 General		
<u>405 Privacy</u>	Heading cell – no response required	Heading cell – no response required
405.1 General		
406 Standard Connections	Heading cell – no response required	Heading cell – no response required
406.1 General		
407 Operable Parts	Heading cell – no response required	Heading cell – no response required
407.2 Contrast		
407.3 Input Controls	Heading cell – no response required	Heading cell – no response required
407.3.1 Tactilely Discernible		
407.3.2 Alphabetic Keys		
407.3.3 Numeric Keys		
407.4 Key Repeat		
407.5 Timed Response		
407.6 Operation		
407.7 Tickets, Fare Cards, and Keycards		
407.8 Reach Height and Depth	Heading cell – no response required	Heading cell – no response required
407.8.1 Vertical Reference Plane		

Criteria	Conformance Level	Remarks and Explanations
407.8.1.1 Vertical Plane for Side Reach		
407.8.1.2 Vertical Plane for Forward Reach		
407.8.2 Side Reach		
407.8.2.1 Unobstructed Side Reach		
407.8.2.2 Obstructed Side Reach		
407.8.3 Forward Reach		
407.8.3.1 Unobstructed Forward Reach		
407.8.3.2 Obstructed Forward Reach		
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach		
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach		
408 Display Screens	Heading cell – no response required	Heading cell – no response required
408.2 Visibility		
408.3 Flashing		
<u>409 Status Indicators</u>	Heading cell – no response required	Heading cell – no response required
409.1 General		
410 Color Coding	Heading cell – no response required	Heading cell – no response required
410.1 General		
411 Audible Signals	Heading cell – no response required	Heading cell – no response required
411.1 General		
412 ICT with Two-Way Voice Communication	Heading cell – no response required	Heading cell – no response required
412.2 Volume Gain	Heading cell – no response required	Heading cell – no response required
412.2.1 Volume Gain for Wireline Telephones		
412.2.2 Volume Gain for Non-Wireline ICT		
412.3 Interference Reduction and Magnetic Coupling	Heading cell – no response required	Heading cell – no response required
412.3.1 Wireless Handsets		
412.3.2 Wireline Handsets		
412.4 Digital Encoding of Speech		

Criteria	Conformance Level	Remarks and Explanations
412.5 Real-Time Text Functionality	Reserved for future	Reserved for future
412.6 Caller ID		
412.7 Video Communication		
412.8 Legacy TTY Support	Heading cell – no response required	Heading cell – no response required
412.8.1 TTY Connectability		
412.8.2 Voice and Hearing Carry Over		
412.8.3 Signal Compatibility		
412.8.4 Voice Mail and Other Messaging Systems		
413 Closed Caption Processing Technologies	Heading cell – no response required	Heading cell – no response required
413.1.1 Decoding and Display of Closed Captions		
413.1.2 Pass-Through of Closed Caption Data		
414 Audio Description Processing Technologies	Heading cell – no response required	Heading cell – no response required
414.1.1 Digital Television Tuners		
414.1.2 Other ICT		
415 User Controls for Captions and Audio Descriptions	Heading cell – no response required	Heading cell – no response required
415.1.1 Caption Controls		
415.1.2 Audio Description Controls		

Chapter 5: Software

Notes: Web applications do not have access to platform accessibility services and do not include components that have access to platform accessibility services.

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <u>WCAG 2.0</u> section	See information in WCAG 2.0 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features		
502.2.2 No Disruption of Accessibility Features		
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
502.3.1 Object Information		
502.3.2 Modification of Object Information		
502.3.3 Row, Column, and Headers		
502.3.4 Values		
502.3.5 Modification of Values		
502.3.6 Label Relationships		
502.3.7 Hierarchical Relationships		
502.3.8 Text		
502.3.9 Modification of Text		
502.3.10 List of Actions		
502.3.11 Actions on Objects		
502.3.12 Focus Cursor		
502.3.13 Modification of Focus Cursor		
502.3.14 Event Notification		
502.4 Platform Accessibility Features		
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences		
503.3 Alternative User Interfaces		
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls		
503.4.2 Audio Description Controls		
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	See <u>WCAG 2.0</u> section	See information in WCAG 2.0 section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion		
504.2.2 PDF Export		
504.3 Prompts		

Criteria	Conformance Level	Remarks and Explanations
504.4 Templates		

Chapter 6: Support Documentation and Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	
602.3 Electronic Support Documentation	See <u>WCAG 2.0</u> section	See information in WCAG 2.0 section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not-applicable	
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	
603.3 Accommodation of Communication Needs	Supports	

Legal Disclaimer NewsBank, Inc.

Include your company legal disclaimer here, if needed.